

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	423	statistic\$5 near3 switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:05
-	8	(statistic\$5 near3 switch) with threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:10
-	3939	collect\$3 near3 (count statistical\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:09
-	132	(collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:09
-	14	((collect\$3 near3 (count statistical\$2) ) same (LCI switch (line adj card))) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:18
-	4642	(line adj card) LCI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:19
-	7	((line adj card) LCI) same counter) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:24
-	0	"crandall, stephan".in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:25
-	10	"wilford, bruce".in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:25
-	2	"Medved, Jan".in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:26
-	127	((line adj card) LCI) same counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:28
-	2104	(link connect) near3 count	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 16:30

-	277	((link connect) near3 count) same (interface (line adj card) LCI switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 08:17
-	1485877	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:40
-	1956	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:42
-	128	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:43
-	93	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (connection link us\$3 statistic\$4) ) with ((above over below under higher lower) near3 threshold)) same (card interface port switch)) and (@ad < 20000703 @rlad < 20000703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:43
-	322093	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:46
-	1328	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:47
-	126	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:48
-	106	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad < 20000703 @rlad < 20000703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:49
-	531110	(gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:47
-	1641	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:48
-	141	((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:48

-	118	(((((gather\$3 get\$4 aggregat\$3 obtain\$3 secur\$3 acquir\$3 collect\$3 count\$3 determin\$3) near5 (cell packet frame loss drop) ) with ((above over below under higher lower) near3 threshold)) same (router bridge card interface port switch)) and (@ad<20000703 @rlad<20000703)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:49
-	1	(logical adj identifier) with interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:22
-	2	("6539432").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:29
-	0	("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:30
-	0	("(FIFObuffermemory)with(LCI(logicalnear2identifier))").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:30
-	0	(FIFObuffermemory)with(LCI(logicalnear2identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:30
-	27	(FIFO buffer memory) with (LCI(logicalnear2identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:30
-	201	(FIFO buffer memory) with (LCI (logical near2 identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:31
-	0	((((FIFO buffer memory) with (LCI (logical near2 identifier)))) same interrupt) and (((FIFO buffer memory) with (LCI (logical near2 identifier)))) same counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:31
-	1	((FIFO buffer memory) with (LCI (logical near2 identifier)))) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:32
-	1	((FIFO buffer memory) with (LCI (logical near2 identifier)))) with counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:32
-	22	((FIFO buffer memory) with (LCI (logical near2 identifier)))) same counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:34

-	464855	threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 07:24
-	145897	threshold with (over above great\$2 equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 07:26
-	41960	((threshold with (over above great\$2 equal)) with (under below less\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 07:26
-	3	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (line adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:43
-	1978	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:42
-	499	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) and count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 07:28
-	51	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 07:32
-	49	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) with count\$3) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:19
-	24178	count\$3 with interrupt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:18
-	2287	(count\$3 with interrupt\$3) with (card interface switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:19
-	373	(count\$3 with interrupt\$3) with (connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:22
-	72	((count\$3 with interrupt\$3) with (card interface switch)) with (connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:56

-	4	((count\$3 with interrupt\$3) with (card interface switch)) with (connection)) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:41
-	19	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:44
-	18	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (switch)) same interrupt) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:44
-	276	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:43
-	5	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:25
-	3	((threshold with (over above great\$2 equal)) with (under below less\$2)) with (interface card)) same interrupt) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:55
-	733	threshold same (count\$3 with interrupt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:55
-	133	(threshold same (count\$3 with interrupt\$3) ) same (card interface switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:25
-	19	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:56
-	18	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) same (connection statistic)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 09:56
-	117	((threshold same (count\$3 with interrupt\$3) ) same (card interface switch)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:17
-	4259	(writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:30

-	152	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:31
-	43	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:31
-	38	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same (card interface switch)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:31
-	23278	(writ\$3 plac\$3 stor\$3 record\$3) near3 (address id identif\$7) with (buffer FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:30
-	872	(writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:30
-	0	((writ\$3 plac\$3 stor\$3 record\$3) near3 (id identif\$7) with (buffer FIFO)) same interrupt) same ((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:31
-	783	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:32
-	21	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) same interrupt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 10:31
-	21	((writ\$3 plac\$3 stor\$3 record\$3) with ((address id identif\$7) near3 (logical card interfaceswitch)) with (buffer FIFO)) same interrupt) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:25
-	2	5402416.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:40
-	1	5402416.pn. and fifo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:41
-	2382	count adj (cell priority)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:24

-	2243	count adj (cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:24
-	42	count near5 (priority adj b it)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:24
-	117	count near5 (loss near (cell packet priority))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:25
-	27	(count near5 (loss near (cell packet priority))) and (count adj (cell) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:25
-	12	(count near5 (loss near (cell packet priority))) same (count adj (cell) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:25
-	11	((count near5 (loss near (cell packet priority))) same (count adj (cell) )) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:47
-	5044	cell adj loss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:32
-	1370	priority adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:32
-	3	(cell adj loss) with (priority adj bit) with count\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:45
-	2150	clp	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:46
-	38	clp near3 count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:59
-	27	(clp near3 count\$3) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:50



-	4	(clp near3 count\$3) with threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:56
-	3	((clp near3 count\$3) with threshold) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:17
-	9915	(cell adj2 (loss priority)) CLP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:17
-	429	((cell adj2 (loss priority)) CLP) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:19
-	235	((cell adj2 (loss priority)) CLP) with threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:17
-	39	((cell adj2 (loss priority)) CLP) with threshold) same switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:20
-	39	((cell adj2 (loss priority)) CLP) with threshold) same switch) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:20
-	309	((cell adj2 (loss priority)) CLP) with count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:19
-	47	((cell adj2 (loss priority)) CLP) with count\$3) same threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:19
-	16	((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:20
-	16	((cell adj2 (loss priority)) CLP) with count\$3) same threshold) same switch) and (@ad < 20000629 @rlad < 20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:20